CDM-50 8 CDM-75 CABLE DISTANCE METERS

Operating & Instruction Manual






INTRODUCTION

The Cable Distance Meter is a unique, handheld instrument, primarily used for the measurement of the height of overhead cables. The Cable Distance Meters measure up to 6 cables.

The CDM-50 model measures to a height of up to 50 feet (15m). The CDM-75 model has an increased range of up to 75 feet (23m). The unit operates by transmitting an ultra-sonic signal towards the wires, and measuring the time it takes to pick up the echo from that signal. It automatically compensates for the fact that the speed of sound varies with temperature by monitoring the ambient temperature using the internal temperature sensor. The display continuously shows the ambient temperature changes, it is necessary to wait up to 10 minutes for the temperature reading to stabilize after taking the meter suddenly from a warm to a cold environment before taking a measurement, e.g. taking the unit from inside a warm vehicle to outside. Isolate the CDM from any hot surface such as sun warmed pavement using a notebook or several sheets of paper.



TO MAKE A MEASUREMENT

- 1. Select the required measurement units by setting the switch at the back of the unit to display in feet and inches (I) or meters (M).
- 2. Set the Calibrate switch to the CABLE position.
- 3. Press the ON key to power on the unit.
- 4. Position unit directly under the cable(s) to be measured.
- 5. Press and hold the MEASURE key to take a measurement. The distance to the first cable is shown in the Height Measurement location in the display. If there is more than one cable present, the difference in height between each cable is stored in memory.
- 6. Press the READ CABLES 1-6 key to display each of the cable height differences stored in memory (Stored Measurements). The unit will automatically turn off 3 minutes after the last key has been pressed.

All measurements are displayed in the format feet.inches followed by fractions of an inch.



Hints & Guidelines


Position the unit on the ground, directly underneath the cable to be measured. Align the unit in the direction of the cable, with the cone pointing towards the cable, as shown.

When taking cable measurements, ensure that there are no walls or buildings within a distance of 7 feet (2m) on either side of the meter, as reflections from these will distort the readings. Also ensure there are no trees or other overhanging objects in the vicinity.

When measuring more than one cable, ensure that none of the cables are outside the sonic beam, as shown in the Performance section of this manual. If the cables are not vertically above one another, this could be the case. In this instance, it will be necessary to take a number of separate readings from different positions.

Water and moisture can cause the Cable Distance Meter to malfunction. Therefore, the meter should not be used in rain or snow. If water does get into the cone, leave it upside down in a dry, warm area.

If the display shows ----, this indicates a "poor target" and normally happens when the cables are moving due to wind, etc. Wait until the wind dies down to get an accurate reading.



Side View

Front

View

CALIBRATE MODE

The Calibrate mode switch allows the user to periodically check the unit to ensure that it is still operating within specification. For cable distance measurement, this switch should be in the CABLE position. When the switch is put to the WALL position, horizontal measurements to large objects, e.g. walls, can be taken.

When the unit is first used, a horizontal reading to an object, e.g. wall, from a fixed position should be taken. The reading should be entered, together with the date, into the table below. Whenever the unit is to be checked for accuracy, a reading should be taken from the same point, noting the result and date in the table. If the reading is outside of specification, the unit should be returned to HD Electric for calibration.

Date			
Reading			

TROUBLESHOOTING

The following is a list of actions to be taken if the unit is not working properly:

SCREEN IS BLANK

Check to make sure the battery is inserted correctly. Open battery door on the bottom rear of the unit. The battery is inserted with the terminals on the inside. The + and - symbols on the battery should match the corresponding + and - symbols on the inside of the battery compartment.

UNIT DOES NOT MEASURE ALL WIRES


Ensure that horizontal distances between wires are within the sonic beam, as shown in the Performance section of this manual.

INCORRECT READINGS


Ensure the Calibrate mode switch is in correct position, i.e. CABLE for cable height measurement, and WALL for horizontal distance to object measurement. Ensure no walls or similar obstructions are within 7 feet (2m) of either side of the unit, as reflections from these can interfere with correct operation.

SPECIFICATIONS

	Model CDM-50	Model CDM-75	
1 inch (25mm) Cable Diameter	10' - 50' (3m – 15m)	10' - 75' (3m – 23m)	
0.5 inch (12mm) Cable Diameter	10' - 50' (3m – 15m)	10' - 50' (3m – 15m)	
0.25 inch (5.5mm) Cable Diameter	10' - 40' (3m – 12m)	N/A	
0.125 inch (2.5mm) Cable Diameter	10' - 33' (3m – 10m)	N/A	
No. of wires measured	6	6	
Accuracy	0.5% ± 2 digits		
Resolution (less than 33')	0.25" (5mm)		
Resolution (more than 33')	0.5" (10mm)		
Minimum gap between wires	6" (150mm)		
Operating Temp. Range	14° F to 104° F (-10° C to 40° C)		
Battery Life	50,000 measurements (Long Life Alkaline type)		
Measurement units	Imperial (feet/inches) or metric (meters)		
Auto power off delay	3 minutes		
Dimensions	8.5" x 4" x 3" (205mm x 100mm x 70mm)		
Weight	1.1 lb. (0.5kg)		



CDM-50 Measurement versus Cable Diameter



CDM-75 Measurement versus Cable Diameter

TERMS AND CONDITIONS OF SALE

HD Electric Company is herein referred to either as "HDE" or "Seller" and the customer or person or entily purchasing goods or services (hereinafter collectively referred to as "Goods") is referred to as the "Buyer". These Terms and Conditors, any price list or schedule, quotation, acknowledgment or invoice from HDE relevant to the sale of the Goods and all documents incorporated by specific reference therein, constitute the complete and exclusive statement of the terms of the agreement qoverning the sale of Goods by HDE to Buyer, Buyer's acceptance of the Goods will manifes Buyer's asceptance to be selms and conditions without variation or addition. Any different or additional terms in Buyer's purchase order or other Buyer documents are hereby objected to. HDE reserves the right in its sole discretion to refuse orders.

1. PRICES AND TAXES: Unless a fixed price is quoted, the price at which this order is accepted is subject to adjustment to HDE's price in effect at the time of order. Any current or future tax or governmental charge (or increase in same) affecting Selfer's costs or production, sale or delivery or which Selfer is otherwise required to pay or collect in connection with the sale, purchase, delivery, storage, processing, use or consumption of Goods (but excluding any tax on Selfer's real to for eight production and shall be added to the price.

2. TERMS OF PAYMENT: Terms are stated on HDE's invoice in U.S. currency. HDE shall have the right, among other remedies, either to terminate this agreement or to suspend further performance under this and/or other agreements with the Buyer in the event Buyer fails to make any payment when due, which other agreements Buyer and Seller hereby amend accordingly, or HDE otherwise deems Iself inscure. Buyer shall be liable for all express, including admonys' foes, retaining to the cellicitor of past due amounts. Should Buyer if financial responsibility becreme unstatisfactory to HDE, cash payment or security statisfactory to HDE. They there are all the security is not provided, in addition to HDE's other rights and remedies, HDE may discontinue deliveries. HDE may apply a finance charge for payments made by credit cad.

3.SHPMENT AND DELUCERY: Unless otherwise expressly provided, shipments are made F.O.B. HDE's shipping point. Risk of loss or damage and responsibility shall pass from HDE'to Buyer upon delivery to and receipt by common carrier. Any claims for shortpatings or damages and frequent affect of transit are to the responsibility of buyer and shall be submitted by the Buyer directly to the carrier. Shortpage or damages and the signal different instant are the responsibility of buyer and shall be submitted by the Buyer directly as the Buyer directly as the Buyer directly as the Buyer direct the Buyer directly as the Buyer directly

4. HDE LIMITED WARRANTY: HDE covers is products with a manufacturer's warrary against detects in material or workmanship for a period of ner years in the case of Capacitor Controls and in all other circumstances for a period of ner years in the case of Capacitor Controls and in all other circumstances for a period of ner years in the case of Capacitor Controls and in all other circumstances for a period of nerge system, where Schember stated by HDE in whites. To lake advantage of the warrary is hall all other circumstances or year unless otherwise stated by HDE in whites. To lake been repared to all other discusses the term of the period of the term of the case of the period of the term of the case of the period of the term of the term of the period of the term of the period of the term of the period of the term of the period of the term of term of term of term of term of term of

6. EXCUSE OF PERFORMANCE (FORCE MAJEURE): HDE shall not be liable for delays in performance or for non-performance due to acts of God; acts of Buyer, war frer, flood; weather, sabotage, strikes, labor disputes, o'di disturbances or riots; governmental requests, restrictions, allocations, laws, regulations, orders or actions; unavailability of or delays in transportation; default of suppliers; or unforeseen circumstances or events beyond HDE's reasonable control. Delaveries or ordhe performance may be suspended for an appropriate period or cancelled by HDE upon notice to Buyer in the event of any of the foregoris, but the balance of this sagement shall otherwise remain unaffected. IHDE determines that is shilly to supply the total demand for the Goods, or to totain material used directly or indirectly in the manufacture of the Goods is, bindred, limited or made imparticable due to causes set forth herein, HDE may allocate its available supply of the Goods or such material (without obligation to acquire other supplies of any such Goods or materials) among itself and its purchasers on such basis as HDE determines to be equilable without liability for any failure of performance which may result herefrom.

7. CHANGES: HDE reserves the right to change designs and specifications for standard Goods without prior notice to Buyer, but not with respect to custom Goods being made for Buyer. HDE shall have no obligation to install or make such change in any Goods manufactured prior to the date of such change.

8. ASSIGNMENT: Buyer shall not assign its rights or delegate its duties hereunder or any interest herein without the prior written consent of HDE, and any such assignment, without such consent, shall be void

9. INSTALLATION: Buyer shall be responsible for receiving, inspecting, testing, storing, installing, starting up and maintaining all Goods.

10. NSPECTION/TESTING: Buyer, at its expense, agrees that it will promptly inspect the Goods upon receipt thereof, and in or event littler than thirty (30) days from the date of receipt of the Goods. Buyer shall deliver to HDE within filten (16) days of inspection, but in or event later than thirty-file (3) days from the date of receipt of the Goods. Buyer shall deliver to any kind with respect to the quantity, quality, condition, shipment, performance, price or appearance of the Goods are event of the Soods. Writen notice is any axia dideficiencies, detects, variations from specifications or comparises of any kind with respect to the quantity, quality, condition, shipment, performance, price or appearance of the Goods are constrained to conclusively to have inspected and accode surcentification or any data or event in data. The second second and any data is negreed thereod. Buyer may not return goods without first advising 14DE of the reasons therefore, obtaining from HDE a material authorization rumber or doserving such instructions as HDE may give in authorizing such return. In the event a return is authorized by HDE, a restance and any or maintenance a eventy percent (20%), restoching for eah JDG are a material authorized on under the neural neural transmitter. A neural percent data is a constraint or price and any data in the neural neural

11. SERVICES: If this agreement requires HDE to perform or provide any services, HDE (including without limitation its successors, assigns, agents or any person or entity acting at HDE's direction) shall not be responsible for any damages, claims, liabilities or expenses of any nature arising out of such services.

12. U.S. EXPORT CONTROL LAWS: All Goods sold to Buyer by HDE hereunder are subject to U.S. Export Control Laws. Buyer hereby agrees not to re-sell or divert any goods contrary to such laws

13. COMPLIANCE: Selenic/Contractor shall comply with all applicable federal, state or local laws, nelse, requiations, or orders. Selenic/Contractor shall comply with Executive Order 11248, as an ended by Executive Order 11

14. MISCELLANEOUS: These terms and conditions supersede all other communications, angoliations and prior roal or withins statements regarding the subject matter hered. No change, modification, rescission, dischange, abandomment, or waiver of these terms and conditions shall be binding upon HDE unless made in writing and signed on its behalt by its duiy authorized representative. No conditions, usage or trade, course of ealing or parformance, understanding or agreement purporting to modify, vary, explain, or supplement these terms and conditions shall be binding unless thereafter made in writing and signed on its behalt by its duiy authorized representative. No conditions, usage or trade, course of a failing or parformance, understanding or agreement purporting to modify, vary, explain, or supplement these terms and conditions shall be binding unless thereafter made in writing and signed by Seler. No modification on shall be effected by HDE's receipt or acceptance of Buyer's purchase orders, shipping instruction forms, of other documentation containing terms at variance with or in addition to those set forth herein, all of which are objected by DHD. We avaiter by HDE with respect to any therain or default of any other thready, and ordered and consultance with or in addition or additional terms are specifically reliced by HDE. We avaiter by HDE with respect to any therait or default of any other thready and no course of default, shall be expressed in writing and signed by HDE. All prographical or default of any other thready and performance relating to the interpretation and effect or this agreement that be powered by the Buyer and the continuity and performance existing to the interpretation and effect or this agreement that be observed by the Buyer and the state of the state or the state or default of any other trace or default of any other trace or default at the state or the state or default of the sceneral or the state or other state or there or the state or the state or the state or the state or the st

15. DISPUTE RESOLUTION: In the event of any dispute INCLUDING, BUT NOT LIMITED TO, BREACH OF CONTRACT, BREACH OF WARRANTY, CLAIMS BASED IN TORT, NEGLIGENCE, PRODUCT LIABILITY, FRAUD, MARKETING, STATE OR FEDERAL REGULATIONE, ANY CLAIMS REGARDING THE ENFORCEABILITY OF THIS LIMITED WARRANTY, AND THE WAIVER OF CLASS ACTION TRULS between Buyer and Seller, differ may choose to resolve the dispute by binding adhation, as described below, instead of nour. THIS MEANS IF ETHERS BUYER OR SELLER CHOOSE BINDING ARBITRATION, NETHER PARTY SHALL HAVE THE RIGHT TO LITIGATE SUCH CLAIM IN COURT OR HAVE A JURY TRUL. DISCOVERY AND APPEAL RIGHTED IN BINDING ARBITRATION. Buyer and Seller agrees that the proper vorume if Arbitration is not schores hy Buyer or Seller of all adions arising in connection herewith shale be only in the state of limited main state of instance. THIS out of functions in the agreement, may be brought by either party more than two (2) years after the cause of action has accrued. The UN. Convention on Contracts for the International Sales of Goods shall not apply to this agreement.

16. CLASS ACTION WAVER: BINDING ARBITRATION MUST BE ON AN INDIVIDUAL BASIS. THIS MEANS NEITHER BUYER NOR SELLER MAY JOIN OR CONSOLIDATE CLAIMS IN ARBITRATION BY OR AGAINST OTHERS, OR LITIGATE IN COURT OR ARBITRATE ANY CLAIMS AS A REPRESENTATIVE OR MEMBER OF A CLASS OR IN A PRIVATE ATTORNEY GENERAL CAPACITY. ADMINISTRATION OF AR-BITRATION. The binding athritism on wust be administered by the American Arbitration Association (AAA) in accordance with its Commercial Arbitration Rules and/or Supplementary Procedures for Consume-Related Disputs (including proceedings to miligate costs of travel). This binding athritism (association) are with a general arbitration and an enforcement. The binding athritism shall be left at a location determined by AAA or a such other locations armutually agreed. In addition the terms stated above, the following will apply to be binding athritism (1) the athritism (1) arbitration and and/or and or any federal, state, or local court or agency, will have exclusive authority to resolve any dispute relating to the interpretation, applicability, enforceability or formation of this Agreement including any claim that all or any part of this Agreement is void or voidable; (2) the achitrator shall ago with the FAAA.

> HD Electric Company is committed to ongoing review and improvement of its product lines, and thus reserves the right to modify product design and specifications without notice.

HD Electric Company[®] products are available through HDE[®] sales representatives worldwide.

HD Electric products receive final assembly and shipment from HDE's production facility at

Suite 400 - 4320 Executive Drive, Southaven, MS 38672.

HD Electric Company is ISO 9001:2015 certified

Printed in U.S.A. © HD Electric Company 2020 • Bulletin No. CDM IM-300a