





- Speed in less than 60 seconds with the boom/built in dolly
- Whether you're pulling rope or cable, the G6 Turbo<sup>™</sup> achieves the fastest pull time



- Strong, rugged design unmatched quality
- Avoid time lost waiting for replacement parts
- Pull with confidence, truly capable at max 6,000 lb load





# The G6 Turbo™ filled the gap for our pulling needs. 77

- NGC Construction Inc.



## **GET FAST**Labor Savings

Actual customer data on annual average pulls on the job site per year can save the customer:

\$2,000/YEAR **SAVINGS** vs Cannon<sup>®</sup> 6K<sup>\*</sup> \$5,200/YEAR **SAVINGS** vs Maxis<sup>®</sup> M6K-M<sup>\*</sup>

\*Results determined by average labor rates of \$50/hr of two electricians and assumes 100 pulls per year. Actual results may vary. Compared to iTOOLco<sup>TM</sup> Cannon® 6K and Southwire® Maxis® M6K-M. iTOOLco<sup>TM</sup> is a trademark of iTOOLco, LLC. Maxis® is a registered trademark of Southwire Company.

#### ORDERING INFORMATION

CAT. NO.	UPC NO.	DESCRIPTION	
G6	06954	G6 Turbo™ 6,000 lb Puller	

#### **SPECIFICATIONS**

**CAPSTAN SPEED:** 

PULLING FORCE:	4,000 lbs (17.800 KN) Continuous, 5,000 lbs (22.200 KN) Intermittent,	NO LOAD SECONDARY CAPSTAN SPEED:	High Speed 90 ft/min (27.43 m/min), Low Speed 35 ft/min (10.70 m/min)
	6,000 lbs (26.700 KN) Momentary	STANDARD BOOM	7.5' (2.29 m)
ROPE SIZE:	3/4" (19.100 mm) Double-Braided	EXTENSION	7.5 (2.29 III)
	Composite, Rated at 26,000 LB (115.600 kN)	WEIGHT	252 lbs (114 kg)
DRIVE MOTOR:	120V VAC, 50/60 Hz, 12 Amps	INCLUDES A FORCE INDICATOR AND FOOT SWITCH	
NO LOAD MAIN	High Speed 28 ft/min (8.53 m/min),		

Low Speed 11 ft/min (3.35 m/min)

### **PULLING PRODUCTS**

Check out other Greenlee pulling products



#### **G-Series Smart Pull**

Monitor real time force, speed and distance during a cable pull avoiding rework and liability.



#### **Cable Feeder**

Increase efficiency and productivity by using a cable feeding system to make cable setup and payout a one-person job.



#### **Cable Handling**

A comprehensive line of jack stands, reel rollers, caddies and dispensers to efficiently handle cable payout.



#### **Grips & Crimpers**

Save time by using Gator Grips $^{\text{TM}}$ . Select the size for an indent crimper, and be set up for the pull in less than two minutes.



#### Rope

Use up to 3/4" rope with a maximum rated capacity that meets or exceeds the cable pullers maximum pulling force.



#### **Pulling Accessories**

An extensive line of sheaves, including hook, conveyor, feeding, and tray-type for different cable pulling applications.









