

Direct Contact Low Voltage Detector and LV-5/K01 Kit including LV-PT Tester, Holster and Available Accessories

## **Operating & Instruction Manual**



CE

# HDE HDElectricCompany.com



## Direct Contact Low Voltage Detector and LV-5/K01 Kit including LV-PT Tester, Holster and Available Accessories Operating & Instruction Manual

DESCRIPTION	.4
IMPORTANT SAFETY INFORMATION	.4
HOW TO USE IT	.5
BATTERY REPLACEMENT	.5
TECHNICAL SPECIFICATIONS	.7
ACCESSORIES	.7
TERMS AND CONDITIONS OF SALE	.8

#### DESCRIPTION

The LV-5 is a hand held low voltage detector for testing exposed metallic surfaces and conductors for the presence of low voltage 50/60Hz AC. This Detector is designed to be hand held as shown and to detect AC voltage on any metallic surface or conductor that is in direct contact with the metallic tip of the Detector. The presence of AC voltage greater than 5 volts is indicated by a flashing red light. The LV-5 is always on and ready to detect voltage.

#### IMPORTANT SAFETY INFORMATION

CAUTION: The Detector should be hand held as shown. Keep hands and fingers behind the hand guard at all times. This device can be used to detect voltages up to 600VAC.

Do not exceed 600VAC with direct contact. This Detector is designed for use by trained professionals. Use caution before contacting any equipment or conductor on which AC voltage is detected. The voltages detected by this Detector may be lethal.



**WARNING:** This Detector does not detect DC. Flashing light indicates AC voltage. Do not use the LV-5 Detector or LV-PT Tester except as directed. Do not use the Tester with equipment other than the LV-5. Contacting voltage above 600V with the Detector or applying the Tester to energized circuits or equipment may lead to electric shock, severe injury or death. Refer all servicing to the factory.

### HOW TO USE IT

**TEST THE LV-5 DETECTOR** with the LV-PT Tester before and after each use. The Tester supplies a non-lethal low voltage AC signal to the metal button in the center of the clear plastic cone. To test the LV-5 Detector, hold the Detector as shown and press the to tip of the LV-5 into the metal button of the LV-PT Tester. If the LV-5 will be used with a gloved hand, this testing shall be performed



while the hand holding the Detector is wearing the same glove that will be used while performing the actual stray voltage test. A red light on the Tester indicates the battery is OK. A flashing red light on the Detector indicates voltage is detected. Note that for best test results, the holster should be worn as shown. The hand on the Detector and the placement of the holster on the user are part of the test circuit and can affect test results. If the holster is not used as shown, similar body contact must be maintained between the Detector and the Tester. For example, the hand of the user can be placed behind or around the body of the Tester while the other hand holds the Detector, as shown on page 4.

#### TEST FOR VOLTAGE

Test for voltage by touching the metal tip of the LV-5 Detector to an exposed metal surface of the equipment or conductor to be tested. Hold the Detector by hand as shown above. The hand of the user is part of the detection circuit. A flashing red light indicates voltage of 5 volts or more.

#### **OPERATIONAL IMPAIRMENT**

If the LV-5 is used in a manner not described in this instruction manual, the protection and effective operation of this equipment may be impaired.

#### BATTERY REPLACEMENT INSTRUCTIONS

To replace the LV-5 batteries, unscrew the tip, remove and dispose of the old batteries, replacing them with two fresh, new alkaline or lithium type AA batteries. For the LV-PT, remove the four screws and replace the 9V battery with a fresh, new 9V alkaline or lithium type.





### TECHNICAL SPECIFICATIONS

MODEL LV-5 includes LV-5 Stray Voltage Detector.

MODEL LV-5/K01 KIT includes LV-5, LV-PT Tester & LV-HS Holster. Optional accessories include LV-EH Extension Handle and LV-GS Ground Shield. See page 7 for details.

DIMENSIONS: 10.5 in. L x 3.8 in. W x 2.3 in. H (26.7 cm x 9.7 cm x 5.8 cm)

WEIGHT: 1.25 lb (570 g)

BATTERY: LV-5 DETECTOR: 2 x AA alkaline ANSI-15A, IEC-LR6 or lithium ANSI 15-LF, IEC-FR6

LV-PT TESTER: 9V alkaline ANSI 1604A, IEC 6LR61 or 9V lithium ANSI-1604LC

THRESHOLD DETECTION VOLTAGE: 5VAC, 50/60Hz Nominal, capacitively coupled Maximum applied voltage: 600VAC

ENVIRONMENTAL CONDITIONS:

Indoor and outdoor use

ALTITUDE: Up to 6,566 ft. (2000M)

OPERATING TEMPERATURE: -20°F to +140°F (-29°C to +60°C)

HUMIDITY: 95% to +60°C (non condensing)

POLLUTION DEGREE: PD4

MEASUREMENT CATEGORY: CLASSIFICATION RATING

(CAT IV) – Product is intended for use with test and measuring circuits up to 600 VAC connected to the circuits/wiring outside of a building installation, including transmission lines.

OVERVOLTAGE CATEGORY IV

ENCLOSURE MATERIALS: LV-5: Outer grip ENSOFT SL 300-60A TPE, handle WONDERLITE PC-110 polycarbonite, tip Zytel ST801AHS nylon. LV-PT: ABS UL 94-HB

PRINTED CIRCUIT BOARDS: FR-4 UL 94-V0

**CLEANING INSTRUCTIONS** - To clean the LV-5, LV-PT, LV-EH and LV-GS wipe with a damp cloth with water. Do not use harsh chemicals or solvents.

**DAMAGE** - If you suspect any mechanical or electrical damage, do not use the LV-5 or LV-PT and arrange for repair by returning to the factory.

CALIBRATION & TESTING - Regular calibration is not required.

There is no calibration adjustment.

**REPAIRS** - If any damage is found please contact us at 800-435-0786 to arrange for service.

MANUFACTURING LOCATION - HD Electric • Southaven, MS. 38672, USA



#### ACCESSORIES

#### LV-EH EXTENSION HANDLE

The LV-EH Extension Handle extends the reach of the LV-5 Detector.



Insert the LV-5 into the open end of the LV-EH. Test the assembled LV-5 Detector and LV-EH Extension Handle before use with the LV-PT Tester, as shown on the right.

If gloves will be worn while using the LV-EH, use those same gloves while performing this test.

LV-GS GROUND SHIELD The LV-GS Ground Shield prevents nearby strong electric fields from affecting the LV-5 Detector. Use the LV-GS while using the LV-5 in or around high voltage substations, under overhead distribution or transmission lines or near other high voltage energized equipment.

The LV-5 Detector is inserted into the open end of the LV-GS. Test the assembly of the LV-GS and LV-5 using the LV-PT Tester before each use.

The alligator clip should be connected to a driven ground or other known good ground (not supplied).





#### TERMS AND CONDITIONS OF SALE

HD Electric Company is herein referred to either as "HDE" or "Seller" and the customer or person or entily purchasing goods or services (hereinafter collectively referred to as "Goods") is referred to as the "Buyer". These Terms and Conditors, any price list or schedule, quotation, acknowledgment or invoice from HDE relevant to the sale of the Goods and all documents incorporated by specific reference therein, constitute the complete and exclusive statement of the terms of the agreement qoverning the sale of Goods by HDE to Buyer, Buyer's acceptance of the Goods will manifes Buyer's asceptance to be selms and conditions without variation or addition. Any different or additional terms in Buyer's purchase order or other Buyer documents are hereby objected to. HDE reserves the right in its sole discretion to refuse orders.

1. PRICES AND TAXES: Unless a fixed price is quoted, the price at which this order is accepted is subject to adjustment to HDE's price in effect at the time of order. Any current or future tax or governmental charge (or increase in same) affecting Selfer's costs or production, sale or delivery or which Selfer is otherwise required to pay or collect in connection with the sale, purchase, delivery, storage, processing, use or consumption of Goods (but excluding any tax on Selfer's real to for eight production and shall be added to the price.

2. TERMS OF PAYMENT: Terms are stated on HDE's invoice in U.S. currency. HDE shall have the right, among other remedies, either to terminate this agreement or to suspend further performance under this and/or other agreements with the Buyer in the event Buyer fails to make any payment when due, which other agreements Buyer and Seller hereby amend accordingly, or HDE otherwise deems Iself inscure. Buyer shall be liable for all express, including admonys' foes, retaining to the cellicitor of past due amounts. Should Buyer if financial responsibility becreme unstatisfactory to HDE, cash payment or security statisfactory to HDE. They there are all the security is not provided, in addition to HDE's other rights and remedies, HDE may discontinue deliveries. HDE may apply a finance charge for payments made by credit cad.

3.SHPMENT AND DELUCERY: Unless otherwise expressly provided, shipments are made F.O.B. HDE's shipping point. Risk of loss or damage and responsibility shall pass from HDE'to Buyer upon delivery to and receipt by common carrier. Any claims for shortpatings or damages and frequent affect of transit are to the responsibility of buyer and shall be submitted by the Buyer directly to the carrier. Shortpage or damages and the signal different instant are the responsibility of buyer and shall be submitted by the Buyer directly as the Buyer directly as the Buyer directly as the Buyer direct the Buyer directly as the Buyer directly

4. HDE LIMITED WARRANTY: HDE covers is products with a manufacturer's warrary against detects in material or workmanship for a period of ner years in the case of Capacitor Controls and in all other circumstances for a period of ner years in the case of Capacitor Controls and in all other circumstances for a period of ner years in the case of Capacitor Controls and in all other circumstances for a period of nerge system, where Schember stated by HDE in whites. To lake advantage of the warrary is hall all other circumstances or year unless otherwise stated by HDE in whites. To lake been repared to all other discusses the case of the case of Capacitor Controls and in all other circumstances or going or period periods. The case of the case o

6. EXCUSE OF PERFORMANCE (FORCE MAJEURE): HDE shall not be liable for delays in performance or for non-performance due to acts of God; acts of Buyer, war frer, flood; weather, sabotage, strikes, labor disputes, o'di disturbances or riots; governmental requests, restrictions, allocations, laws, regulations, orders or actions; unavailability of or delays in transportation; default of suppliers; or unforeseen circumstances or events beyond HDE's reasonable control. Delaveries or ordhe performance may be suspended for an appropriate period or cancelled by HDE upon notice to Buyer in the event of any of the foregoris, but the balance of this sagement shall otherwise remain unaffected. (HDE determines that is shilly to supply the total demand for the Goods, or to totain material used directly or indirectly in the manufacture of the Goods is, bindred, limited or made imparticable due to causes set forth herein, HDE may allocate its available supply of the Goods or such material (without obligation to acquire other supplies of any such Goods or materials) among itself and its purchasers on such basis as HDE determines to be equilable without liability for any failure of performance which may result herefrom.

7. CHANGES: HDE reserves the right to change designs and specifications for standard Goods without prior notice to Buyer, but not with respect to custom Goods being made for Buyer. HDE shall have no obligation to install or make such change in any Goods manufactured prior to the date of such change.

8. ASSIGNMENT: Buyer shall not assign its rights or delegate its duties hereunder or any interest herein without the prior written consent of HDE, and any such assignment, without such consent, shall be void

9. INSTALLATION: Buyer shall be responsible for receiving, inspecting, testing, storing, installing, starting up and maintaining all Goods.

10. NSPECTION/TESTING: Buyer, at its expense, agrees that it will promptly inspect the Goods upon receipt thereof, and in or event littler than thirty (30) days from the date of receipt of the Goods. Buyer shall deliver to HDE within filten (16) days of inspection, but in or event later than thirty-file (3) days from the date of receipt of the Goods. Buyer shall deliver to any kind with respect to the quantity, quality, condition, shipment, performance, price or appearance of the Goods are event of the Soods. Writen notice is any axia dideficiencies, detects, variations from specifications or comparises of any kind with respect to the quantity, quality, condition, shipment, performance, price or appearance of the Goods are constrained to conclusively to have inspected and accode surcentification or any data or event in data. The second second and any data is negreed thereori. Buyer may not return goods without first advising 14DE of the reasons therefore, obtaining from HDE a material authorization rumber or dosteeving such instructions as HDE may give in authorizing such return. In the event a return is authorized by HDE, are testing or maintenance a envery prevent (20%); rescloxing for each addition for any Coost and unity and in a return is authorized by HDE. In the reasons therefore, obtaining from HDE an material authorization rumber or dosteeving such instructions as HDE may give in authorizing such return. In the event a return is authorized by HDE, are testing reparkaging or maintenance a werk ty percent (20%); rescloxing for each addition and units.

11. SERVICES: If this agreement requires HDE to perform or provide any services, HDE (including without limitation its successors, assigns, agents or any person or entity acting at HDE's direction) shall not be responsible for any damages, claims, liabilities or expenses of any nature arising out of such services.

12. U.S. EXPORT CONTROL LAWS: All Goods sold to Buyer by HDE hereunder are subject to U.S. Export Control Laws. Buyer hereby agrees not to re-sell or divert any goods contrary to such laws

13. COMPLIANCE: Selenic/Contractor shall comply with all applicable federal, state or local laws, nelse, requiations, or orders. Selenic/Contractor shall comply with Executive Order 11248, as an ended by Executive Order 11

14. MISCELLANEOUS: These terms and conditions supersede all other communications, angoliations and prior roal or withins statements regarding the subject matter hered. No change, modification, rescission, dischange, abandomment, or waiver of these terms and conditions shall be binding upon HDE unless made in writing and signed on its behalt by its duiy authorized representative. No conditions, usage or trade, course of ealing or parformance, understanding or agreement purporting to modify, vary, explain, or supplement these terms and conditions shall be binding unless thereafter made in writing and signed on its behalt by its duiy authorized representative. No conditions, usage or trade, course of a failing or parformance, understanding or agreement purporting to modify, vary, explain, or supplement these terms and conditions shall be binding unless thereafter made in writing and signed by Seler. No modification on shall be effected by HDE's receipt or acceptance of Buyer's purchase orders, shipping instruction forms, of other documentation containing terms at variance with or in addition to those set forth herein, all of which are objected by DHDE waiter by HDE in the specific any trade course of dealing of that is duily auditorized researce to a structure or default of any other thready and no course of dealing of that is common to prove the set of the integer of the structure of the documentation or additional terms are specifically registed by HDE. Waiter by HDE in this particulation are subjected by HDE in any quotation, acknowledgment or the subject or common. Which and performance relating to the integration of this agreement that be governed by the laws of the sate of this subject or structure. We there are the set of the sate ments and the structure of the sate ments and the structure of the sate ments and the set of the sate ments and the structure of the sate ments and the structure of the sate ments and the set of the sate ments and the set of the sate ments and the sate ments and the set of th

15. DISPUTE RESOLUTION: In the event of any dispute INCLUDING, BUT NOT LIMITED TO, BREACH OF CONTRACT, BREACH OF WARRANTY, CLAIMS BASED IN TORT, NEGLIGENCE, PRODUCT LIABILITY, FRAUD, MARKETING, STATE OR FEDERAL REGULATIONE, ANY CLAIMS REGARDING THE ENFORCEABILITY OF THIS LIMITED WARRANTY, AND THE WAIVER OF CLASS ACTION TRULS between Buyer and Seller, differ may choose to resolve the dispute by binding adhation, as described below, instead of nour. THIS MEANS IF ETHERS BUYER OR SELLER CHOOSE BINDING ARBITRATION, NETHER PARTY SHALL HAVE THE RIGHT TO LITIGATE SUCH CLAIM IN COURT OR HAVE A JURY TRUL. DISCOVERY AND APPEAL RIGHTED IN BINDING ARBITRATION. Buyer and Seller agrees that the proper vorume if Arbitration is not schores hy Buyer or Seller of all adions arising in connection herewith shale be only in the state of limited main state of instance. THIS out of functions in the agreement, may be brought by either party more than two (2) years after the cause of action has accrued. The UN. Convention on Contracts for the International Sales of Goods shall not apply to this agreement.

16. CLASS ACTION WAVER: BINDING ARBITRATION MUST BE ON AN INDIVIDUAL BASIS. THIS MEANS NEITHER BUYER NOR SELLER MAY JOIN OR CONSOLIDATE CLAIMS IN ARBITRATION BY OR AGAINST OTHERS, OR LITIGATE IN COURT OR ARBITRATE ANY CLAIMS AS A REPRESENTATIVE OR MEMBER OF A CLASS OR IN A PRIVATE ATTORNEY GENERAL CAPACITY. ADMINISTRATION OF AR-BITRATION. The binding athritism on wust be administered by the American Arbitration Association (AAA) in accordance with its Commercial Arbitration Rules and/or Supplementary Procedures for Consume-Related Disputs (including proceedings to miligate costs of travel). This binding athritism (association) are with a general arbitration and an enforcement. The binding athritism shall be left at a location determined by AAA or a such other locations armutually agreed. In addition the terms stated above, the following will apply to be binding athritism (1) the athritism (1) arbitration and and/or and or any federal, state, or local court or agency, will have exclusive authority to resolve any dispute relating to the interpretation, applicability, enforceability or formation of this Agreement including any claim that all or any part of this Agreement is void or voidable; (2) the arbitrator shall agoint with the FAA.

> HD Electric Company is committed to ongoing review and improvement of its product lines, and thus reserves the right to modify product design and specifications without notice.

HD Electric Company<sup>®</sup> products are available through HDE<sup>®</sup> sales representatives worldwide.

HD Electric products receive final assembly and shipment from HDE's production facility at

Suite 400 - 4320 Executive Drive, Southaven, MS 38672.

#### HD Electric Company is ISO 9001:2015 certified

Printed in U.S.A. © HD Electric Company 2020 • Bulletin No. LV-5 IM-300a