

GREENLEE UTILITY CUTTING SOLUTIONS

ESG105LU • SDG45 • SDG55 • SDG85 • SDG105



INCREASED CAPACITY. INCREASED VERSATILITY.



GREENLEE[®]
UTILITY
A Textron Company

GUILLOTINE CUTTING HEADS

- Guillotine Cutting Heads provides increased:
 - Output force.
 - Cable capacities.
 - Safety.
- Precision blades provide **clean cuts** every time.
- Dual position handles for **easy operation** and transport.
- Lightweight, compact design **for professional linemen.**



GATOR[®] ESG105LU BATTERY-POWERED CABLE CUTTER



RS
Retraction
Stop

18V
Lithium-Ion
Battery

LED
LED Work
Light

**Battery
LED Monitor**

SAFE.
Self-contained,
350° rotating
guillotine-style
head.

SIMPLE.
Single trigger
operation.

SMART.
Automatic
retraction after
completed cycle.

- **Cut up to 4-1/8"** diameter underground power and communications cables.
- **Ergonomic design** with forward positioned handle for improved center of gravity.
- **Retraction Stop** saves time when making multiple cuts on long cables.

Specifications

Capacity*	4-1/8" Diameter (105mm) Communications, Cu & Al Power Cables
Length	23.75" (604mm)
Weight	22 lbs. (9.9 kg)
Battery	18V Li-Ion, 3.0 Ah
Est. Cycles per Battery Charge	40
Battery Charge Time	28 minutes

**Not for cutting ACSR, guy strand, or other cables and steel strands*



REMOTE CUTTING HEADS

SDG45 / SDG55 (ACSR)

- Complete cutting solutions for a wide range of materials.
- Lightweight, compact design.
- Blade profile specifically designed to cut steel.
- Patented locking pin and closed guillotine head design for added safety.

Specifications	SDG45	SDG55
Length	13.4" (340mm)	15" (380mm)
Weight	8.4lbs (3.8kg)	12.3 lbs (5.6kg)
Connector	3/8" NPT Male (Screw-Type)	3/8" NPT Male (Screw-Type)
Communications, Cu & Al Power Cables	1-3/4" (50mm)	2-1/8" (55mm)
ACSR	1590 kcmil (MCM)	2515 kcmil
Standard Guy Strand	5/8" (16mm)	5/8" (16mm)
EHS Guy Strand	1/2" (13mm)	9/16" (14mm)
Ground Rod	5/8" (16mm)	3/4" (19mm)
Rebar	1/2" (13mm)	5/8" (16mm)
Wire Rope	5/8" (16mm)	5/8" (16mm)



SDG45



SDG55



SDG85

SDG85 / SDG105

- Ideal for remote cutting of large-diameter Cu and Al power cables.
- Precision shear blades for clean cuts.
- Lightweight, compact design.
- Patented locking pin and closed guillotine head design for added safety.



SDG105

Specifications	SDG85	SDG105
Length	17.5" (445mm)	17" (432mm)
Weight	9.5 lbs (4.3kg)	17 lbs (7.7kg)
Connector	3/8" NPT Male (Screw-Type)	3/8" NPT Male (Screw-Type)
Communications, Cu & Al Power Cables	3.35" (85mm)	4.12" (105mm)

FOR PRODUCT VIDEOS, DEMONSTRATIONS
AND MORE, SCAN THIS QR CODE OR VISIT:



www.youtube.com/GreenleeDEMO



GREENLEE®

UTILITY

A Textron Company

BATTERY-POWERED HYDRAULIC PUMP EHP700LU

- **Versatile.** Cut, crimp, punch, and bend with a single unit.
- **Smart.** Use timesaving features such as Automatic Retraction Stop and Intelli-CRIMP™ with any single-acting 10,000 PSI remote head.
- **Light.** At only 14.1 lbs the EHP700LU allows users to bring hydraulic power to remote locations.



ORDERING INFORMATION

CAT NO.	UPC NO.	DESCRIPTION
ESG105LU11	01582	Battery Cutter, Cable Bat 120V Charger
ESG105LU12	01583	Battery Cutter, Cable Bat 12V Charger
ESG105LU120	01585	Battery Cutter, Cable 120V AC Adapter
ESG105LU22	01584	Battery Cutter, Cable Bat 230V Charger
ESG105LU230	01586	Battery Cutter, Cable 230V AC Adapter
ESG105LUB	01581	Cutter, Bare Tool
SDG85	01522	Remote Cable Guillotine Cutter, 85mm
SDG105	01526	Remote Cable Guillotine Cutter, 105mm
SDK105	01870	Remote Cable Scissor Cutter, 105mm
SDG45	01555	Remote ACSR Cable Guillotine Cutter, 45mm
SDG55	01556	Remote ACSR Cable Guillotine Cutter, 55mm
750	29149	Remote Cable Cutter, 49mm
EPH700LU11	00754	Power Pump, Bat 120V Charger
EPH700LU12	00755	Power Pump, Bat 12V Charger
EPH700LU22	00757	Power Pump, Bat 230V Charger
EPH700LU120	00756	Power Pump, 120V Adapter

CAT NO.	UPC NO.	DESCRIPTION
EHP700LU230	00758	Power Pump, 230V Adapter
EHP700LUB	01150	Power Pump, Bare Tool
25766	25766	Adapter, Charger 18V Li To 12V Ni
52176	52176	Battery, 18V Li Ion 3.0AH
52178	52178	Charger, Battery 120V
52179	52179	Charger, Battery 230V
52180	52180	Charger, Battery 12V
EAC18120	52191	Adapter, AC - 120V To 18V
EAC18230	52192	Adapter, AC - 230V To 18V
HTA4GL	00759	Remote Control
TG3	01054	Shoulder Strap
01059	01059	Hose Assy, 1/4" X 6' 3/8M&3/8"F Filled
01058	01058	Hose Assy, 1/4" X 6' 3/8M&1/4"M Filled
05850	05850	Hose Assy, 1/4" X 10' 3/8M&3/8"F Filled
17707	17707	Hose Assy, 1/4" X 10' 3/8M&1/4"M Filled
EL 122/32	02042	Hydraulic Fluid, Biodegradable

ADDITIONAL REMOTE CUTTING, CRIMPING, AND KNOCKOUT HEADS

CAT NO.	UPC NO.	DESCRIPTION
RK06AT	06066	6T, Quad Point Crimp Tool, Open Head Dieless
RK06FT	06197	6T Quad Point Crimp Tool, Flip Top Head Dieless
RK1240	05351	12T Crimp Tool, 42mm
RK1240C	07205	12T Crimp Tool, 42mm, PVC Covered

CAT NO.	UPC NO.	DESCRIPTION
RK1550	05353	15T Crimp Tool, C-Head
RK1550FT	00552	15T Crimp Tool, Flip Top Head
RK6040	10604	Crimper, 60-Ton
746	17091	Remote Knockout Ram



www.greenlee.com MA-5936 04/13

4455 Boeing Drive • Rockford, IL 61109-2988 • USA • 815-397-7070

©2013 Greenlee Textron Inc. • An ISO 9001 Company • Printed in USA

Greenlee Textron Inc. is a subsidiary of Textron Inc.